EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp	
L1	38279	((N) or (amino)) adj (terminus or termini or terminal)			OFF	2006/04/05 17:12	
L2	10	I1 near6 streptokinase	USPAT	OR	OFF	2006/04/05 17:12	
L3	102	I1 near6 flexible	USPAT	OR	OFF	2006/04/05 17:13	
L4	. 0	12 and 13	USPAT	OR	OFF	2006/04/05 17:13	

Welcome to STN International! Enter x:x

```
LOGINID:SSSPTA1623SQS
PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2
                      Welcome to STN International
                 Web Page URLs for STN Seminar Schedule - N. America
 NEWS
       1
                  "Ask CAS" for self-help around the clock
 NEWS
 NEWS
       3 DEC 21
                 IPC search and display fields enhanced in CA/CAplus
with the
                  IPC reform
 NEWS
        DEC 23
                 New IPC8 SEARCH, DISPLAY, and SELECT fields in
      4
USPATFULL/
                 USPAT2
 NEWS
         JAN 13
                 IPC 8 searching in IFIPAT, IFIUDB, and IFICDB
 NEWS 6 JAN 13
                 New IPC 8 SEARCH, DISPLAY, and SELECT enhancements
added to
                  INPADOC
 NEWS
         JAN 17
                 Pre-1988 INPI data added to MARPAT
                 IPC 8 in the WPI family of databases including WPIFV
 NEWS 8 JAN 17
 NEWS 9 JAN 30
                 Saved answer limit increased
 NEWS 10 JAN 31
                 Monthly current-awareness alert (SDI) frequency
                 added to TULSA
 NEWS 11
         FEB 21
                 STN AnaVist, Version 1.1, lets you share your STN
AnaVist
                 visualization results
 NEWS 12
                 Status of current WO (PCT) information on STN
         FEB 22
 NEWS 13
         FEB 22
                 The IPC thesaurus added to additional patent
databases on STN
                 Updates in EPFULL; IPC 8 enhancements added
 NEWS 14 FEB 22
 NEWS 15
         FEB 27
                 New STN AnaVist pricing effective March 1, 2006
 NEWS 16
        FEB 28
                 MEDLINE/LMEDLINE reload improves functionality
NEWS 17
         FEB 28
                 TOXCENTER reloaded with enhancements
NEWS 18
         FEB 28
                 REGISTRY/ZREGISTRY enhanced with more experimental
spectral
                 property data
NEWS 19
         MAR 01
                 INSPEC reloaded and enhanced
NEWS 20
         MAR 03
                 Updates in PATDPA; addition of IPC 8 data without
attributes
NEWS 21 MAR 08
                 X.25 communication option no longer available after
June 2006
```

NEWS 22 MAR 22 EMBASE is now updated on a daily basis

New IPC 8 fields and IPC thesaurus added to NEWS 23 APR 03 PATDPAFULL

NEWS 24 APR 03 Bibliographic data updates resume; new IPC 8 fields and IPC

thesaurus added in PCTFULL

NEWS 25 APR 04 STN AnaVist \$500 visualization usage credit offered

NEWS EXPRESS FEBRUARY 15 CURRENT VERSION FOR WINDOWS IS V8.01a, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005. V8.0 AND V8.01 USERS CAN OBTAIN THE UPGRADE TO V8.01a

ΑT

http://download.cas.org/express/v8.0-Discover/

NEWS HOURS STN Operating Hours Plus Help Desk Availability NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 17:14:21 ON 05 APR 2006

=> File Medline EMBASE Biosis Caplus COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION FULL ESTIMATED COST 0.21 0.21

FILE 'MEDLINE' ENTERED AT 17:14:31 ON 05 APR 2006

FILE 'EMBASE' ENTERED AT 17:14:31 ON 05 APR 2006 Copyright (c) 2006 Elsevier B.V. All rights reserved.

FILE 'BIOSIS' ENTERED AT 17:14:31 ON 05 APR 2006 Copyright (c) 2006 The Thomson Corporation

FILE 'CAPLUS' ENTERED AT 17:14:31 ON 05 APR 2006 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

=> s ((N) or (amino)) (W) (terminus or termini or terminal) MISSING TERM '((N'

The search profile entered contains a left parenthesis, '(' followed by an operator.

=> s (N or amino) (W) (terminus or termini or terminal)
L1 408080 (N OR AMINO) (W) (TERMINUS OR TERMINI OR TERMINAL)

=> s l1 (6A) streptokinase
L2 67 L1 (6A) STREPTOKINASE

=> s L1 (6A) flexible L3 1062 L1 (6A) FLEXIBLE

Entrez PubMed Page 1 of 2



ClinicalTrials.gov PubMed Central





	or Medicine [Sign in] [Registe					
All Databases Pu Search PubMed	bMed Nucleotide Protein Genome Structure OMIM PMC Journals Boo					
About Entrez NCBI Toolbar						
Text Version	□ 1: <u>Eur Biophys J.</u> 1992;20(6):355-61. Related Articles, Links					
Entrez PubMed Overview Help FAQ	Streptokinase is a flexible multi-domain protein. Damaschun G, Damaschun H, Gast K, Gerlach D, Misselwitz R, Wolffe H, Zimyer D.					
Tutorials New/Noteworthy E-Utilities	Max-Delbruck-Zentrum fur Molekulare Medizin, Berlin-Buch, Federal Republic of Germany. The structure of streptokinase in solution has been studied by dynamic light scattering, small-angle X-ray scattering and circular dichroism spectroscopy. The Stokes' radius and radius of gyration of the protein monomer are 3.58 nm and 4.03 nm, respectively. The maximum intraparticle distance of the molecule is 14 nm. More than half of the amino acids of the molecule are organized in regular secondary structures. The X-ray scattering curve, the results from dynamic light scattering, and the finding that at least 50% of the amino acid residues are organized in regularly folded secondary structures are consistent with the following structural model. Streptokinase consists of four compact, separately folded, domains linked by mobile segments of the protein chain. The molecule exhibits the conformation of a flexible string-of-beads in solution. PMID: 1313757 [PubMed - indexed for MEDLINE]					
PubMed Services Journals Database MeSH Database Single Citation Matcher Batch Citation Matcher Clinical Queries Special Queries LinkOut My NCBI						
Related Resources Order Documents NLM Mobile NLM Catalog						
NLM Gateway TOXNET Consumer Health Clinical Alerts	Display Abstract Show 20 Sort by Send to					

Write to the Help Desk NCBI | NLM | NIH Department of Health & Human Services Privacy Statement | Freedom of Information Act | Disclaimer

Mar 28 2006 04:45:23

EAST Search History

Ref #	Hits	Search Query	DBs Default Operator		Plurals	Time Stamp	
Ľ1	20555	((fusion or chimeric) adj (protein)) or chimera	USPAT	OR	OFF	2006/04/05 15:42	
L2	1574	(both near4 (N-terminal or N-terminus))	USPAT	OR	OFF	2006/04/05 15:43	
L3	1437	(both near4 (C-terminal or C-terminus))	USPAT	OR	OFF	2006/04/05 15:43	
L4	22	I1 near8 I2	USPAT	OR	OFF	2006/04/05 15:43	
L5	28	l1 near8 l3	USPAT	OR	OFF	2006/04/05 15:44	
L6	14	l4 and l5	USPAT	OR	OFF	2006/04/05 15:44	
L7	13	l6 and (target or targeting or targeted)	USPAT	OR	OFF	2006/04/05 15:44	

Entrez PubMed Page 1 of 3







My NCBI [Z]
[Sign In] [Register]

All Databases	PubMed :	Nucleotide	Protein	Genome	Structure	OMIM	PMC Journa	ls Books
Search PubMed		for fusion	n protein N	l-terminal C	-terminal met	hods	Go Clear Sa	ve Search
	Limits	Preview/		History	Clipboard		Send to	
About Entrez NCBI Toolbar	All: 17		·	Show I	20 💌 Sort	Dy Sil	Selia to	
Text Version	Selected:	: 1 :ms 161 - 17	'4 of 174			Previou	ıs Page 9	of 9
Entrez PubMed Overview		Sato A, Isak Kuwata T, A					S. Related Arti	cles, Links
Help FAQ Tutorials New/Noteworthy E-Utilities		Targeting ovirus particle Microbiol In PMID: 8789	es via Vp mmunol.	r and Vpx. 1995;39(12	2):1015-9.		an immunodefi	iciency
PubMed Services Journals Database MeSH Database Single Citation Matcher Batch Citation	102, Estate St., 1 total 120, Outro, Outro,							•
Matcher	□ 163:	Lue RA, Ma	arfatia SM	f, Branton	D, Chishti A	<u>\H.</u>	Related Arti	cles, Links
Clinical Queries Special Queries LinkOut My NCBI		Cloning and characterization of hdlg: the human homologue of the Drosophila discs large tumor suppressor binds to protein 4.1. Proc Natl Acad Sci U S A. 1994 Oct 11;91(21):9818-22. PMID: 7937897 [PubMed - indexed for MEDLINE]						
Related Resources	164:	Bamberg K	Sachs G				Related Arti	cles, Links
Order Documents NLM Mobile NLM Catalog NLM Gateway	W <u>=</u>	Topological J Biol Chen PMID: 8201	ı. 1994 Ju	n 17;269(2	24):16909 - 1	9.	translation.	
TOXNET Consumer Health Clinical Alerts		Zdanovsky Malyushova Debabov V	ı VV, Zve				Related Arti	cles, Links
ClinicalTrials.gov PubMed Central		Construction and expression in Escherichia coli of hybrid genes composed of sequences encoding diphtheria toxin and human CD4 receptor. Gene. 1994 Feb 11;139(1):77-81. PMID: 8112592 [PubMed - indexed for MEDLINE]					oosed of	
	□ 166:	Hawn TR, J	om TD, S	Strand M.			Related Arti	cles, Links
	<u>. </u>	Molecular c with similar J Biol Chem	ity to caln	exin, calre	ticulin, and		osoma mansoni	antigen

PMID: 8463298 [PubMed - indexed for MEDLINE] 167: Fang H. Higa M. Suzuki K. Aiba K. Urushihara H. Related Articles, Links Yanagisawa K. Molecular cloning and characterization of two genes encoding gp138, a cell surface glycoprotein involved in the sexual cell fusion of Dictyostelium discoideum. Dev Biol. 1993 Mar; 156(1):201-8. PMID: 7680629 [PubMed - indexed for MEDLINE] 168: Deforce L, Tomizawa K, Ito N, Farrens D, Song PS, Related Articles, Links Furuya M. In vitro assembly of apophytochrome and apophytochrome deletion mutants expressed in yeast with phycocyanobilin. Proc Natl Acad Sci U S A. 1991 Dec 1;88(23):10392-6. PMID: 1961705 [PubMed - indexed for MEDLINE] 169: Sugiyama JE, Mahmoodian S, Jacobson GR. Related Articles, Links Membrane topology analysis of Escherichia coli mannitol permease by using a nested-deletion method to create mtlA-phoA fusions. Proc Natl Acad Sci U S A. 1991 Nov 1;88(21):9603-7. PMID: 1946374 [PubMed - indexed for MEDLINE] 170: Parente MG, Chung LC, Ryynanen J, Woodley DT, Related Articles, Links Wynn KC, Bauer EA, Mattei MG, Chu ML, Uitto J. Human type VII collagen: cDNA cloning and chromosomal mapping of the gene. Proc Natl Acad Sci U S A. 1991 Aug 15;88(16):6931-5. PMID: 1871109 [PubMed - indexed for MEDLINE] Related Articles, Links 171: Smith AD, Wilson JE. Disposition of mitochondrially bound hexokinase at the membrane surface, deduced from reactivity with monoclonal antibodies recognizing epitopes of defined location. Arch Biochem Biophys. 1991 Jun;287(2):359-66. PMID: 1716867 [PubMed - indexed for MEDLINE] 172: Kim SC, Posfai G, Szybalski W. Related Articles, Links A novel gene-fusing vector: construction of a 5'-GGmCC-specific chimeric methyltransferase, M.BspRI/M.BsuRI. Gene. 1991 Apr:100:45-50. PMID: 1647357 [PubMed - indexed for MEDLINE] 173: Candussio A, Schmid G, Bock A. Related Articles, Links Biochemical and genetic analysis of a maltopentaose-producing amylase from an alkaliphilic gram-positive bacterium. Eur J Biochem. 1990 Jul 20;191(1):177-85. PMID: 1696201 [PubMed - indexed for MEDLINE] 174: Germino J. Bastia D. Related Articles, Links

The replication initiator protein of plasmid R6K tagged with beta-galactosidase

shows sequence-specific DNA-binding.

Cell. 1983 Jan;32(1):131-40.

PMID: 6297781 [PubMed - indexed for MEDLINE]

Items 161 - 174 of 174

Previous Page 9 of 9

Display Summary

Show 20 ¥ Sort by

Send to ▼

Write to the Help Desk

NCBI | NLM | NIH

Department of Health & Human Services

Privacy Statement | Freedom of Information Act | Disclaimer

Mar 28 2006 04:45:23